Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



1950 CATALOG

FEB 2 8 1950

A half Century of supplying

SEEDS

Adapted to the Southwest

ROSWELL SEED COMPANY

ESTABLISHED 1900

115-117 South Main

Phone 92

P. O. Box 725
Roswell, New Mexico

48th ANNUAL ISSUE

INDEX

GARDEN SEED PRICE LIST, PAGES 13-16

Alfalfa	17	Lettuce	6
Asparagus	1	Melons	6-7
Atlacide	25	Millet	19
Atlas Sorgo	19	Milo	20
Barley	17	Mustard	6
Beans, garden and lima	1	Oats	19
Beans, Pinto	17	Okra	8
Beekeeper's Supplies	27	Onions	8
Beets		Parsley	
Beets, Stock		Parsnips	
Cabbage		Pasture Grasses	
Cane		Peas, Garden	
Cantaloupes		Peas, Field	
Chlordane		Peat Moss	
Carrots		Peppers	
Cauliflower		Plainsman Milo	
Celery		Poultry Equipment	
Clover, Lawn		Poultry Remedies	
Collards		Pree-Plant Powder	
Corn, Field & Pop		Pumpkins	
Corn, Sweet & Garden		Radishes	
Cotton		Rat & Mouse Poison	
Cyanogas		Ree-Root	
Cucumbers		Rhubarb	
Dairy Supplies		Rye	
D D T		Salsify	
Dill		Seed Disinfectants	
Dusters		Soil Fumigants	
Egg Plant		Sorghum Grains	
Feed		Sprayers, Power & Hand	
Fertilizers		Spinach	
Fix Tablets		Squash	
Flower Seeds		Stock Remedies	
Fruit Fix Powder		Swiss Chard	
Fungicides		Tomatoes	
Garden Tools		Transplant Tablets	
Hegari		Turnips	
Hormones, Thompson		Vigoro	
Hotkaps		Vitamin B-1 Plus Pellets	
Innoculants		Watermelons	
Insecticides		Weed Killers	
Kale		Weedicide	
Lawn Grass		Wheat	
Lawii Grass		WILEAU	2U

PLANTING CHART AND TABLE OF INFORMATION WILL BE FOUND INSIDE THE BACK COVER.

If the desired item has not been found, please inquire.

ESTABLISHED 1900

Weather, soil conditions and other similar factors to farming prevent the Roswell Seed Co. from giving any warranty, expressed or implied, as to the productiveness of any seeds or bulbs it sells and will not be in any way responsible for the crop. Our liability in all instances, is limited to the purchase price of the seed.

Vegetable Seeds in Bulk

ASPARAGUS

Mary Washington — Grown extensively for its large deep green sprouts of splendid quality. Uniform and a heavy producer, resistant to rust.

Paradise — The thick stem sort. Possibly the heaviest producer and the faster grower.

BEANS—Bush Varieties

Improved Burpee's Stringless Green Pod (53 days) — Green pod about 6 inches long, nearly round, slightly curved and fiberless. For quality this is the outstanding string bean in the Pecos Valley. Plants are bushy and productive. Raised in the home or market garden for canning and freezing.

Tendergreen — (54 days) — Favored by some and is a general purpose bean of good quality. Pods are light green, meaty and stringless, also, round and straight. Plants are erect and productive. Used extensively by truckers and canners.

Giant Stringless Green Pod (53 days) — Green pods, stringless and brittle with marked indentations between the beans. Preferred by some for late planting. A good producer, shipper and canner.

Improved Pencil Pod Black Wax (55 days) — Pods are yellow, round, about 7 inches long and stringless. The leading yellow podded string bean in our locality. Plants are vigorous and productive.

BEANS—Running Varieties

Kentucky Wonder (65 days) — Also known as Texas Prolific or Old Homestead. The fine flavor of this bean makes it the favorite of the pole varieties. The green pods are about 9 inches long, grow in clusters, are curved and indented, meaty and brittle, but do have strings. A hardy climber that is productive until late in the season. Will produce under some conditions of the Pecos Valley where others will not live.

McCaslan (65 days) — Similar to Kentucky Wonder except seeds are white. Pods 8 inches long, flat and medium green. A good bean for the market, can be used as snap or dry beans.

LIMA BEANS

Burpee's Improved (75 days) — Pods grow in clusters averaging 4 seeds each. Recommended for freezing. Plants are very productive, large, erect and of the bush type.

Henderson's Bush (66 days) — This is the baby lima of the bush type which is often grown for a dry bean. Flat pods contain 3 to 4 flat beans. Excellent quality and good canner. Plants are about 18 inches tall, early and dark green.

Fordhook Bush Lima (75 days) — The large potato lima type. 4 inch pods are broad and contain 3 to 4 thick beans of highest quality. Large erect plants produce very heavy in the Pecos Valley. Grown in the market garden for shipping, highly recommended for freezing.

LIMA BEANS (Continued)

Jackson Wonder (65 days) — A pinto or calico bean of the Henderson Bush or baby lima type. Strongly flavored beans, are used for snaps or dry shelled. Plants are small and spreading. Very productive and drought resistant, well adapted to the Pecos Valley.

King Of The Garden (88 days) — The most popular large pole lima. A vigorous climber and heavy producer. Broad, straight pods contain 4 to 6 large oval shaped beans.

Sieva (77 days) — The small lima of the climbers, known in the South as Carolina Small White or Butter Bean. Heavy yielder and bears over a long season.

Florida Butter Speckled (88 days) — A climber, small bean, commonly grown in the South. Adapts itself to adverse seasonal conditions very readily. Used either in the green shelled or dry stage. Pods grow in clusters, usually three beans in a pod.

BEETS

Will stand light frost. Begin planting late in March, continue planting for succession until early September using six pounds seed per acre.

Detroit Dark Red (50-60 days) — Good for early or late planting in the home or market garden. Good shipper or canner. Dark color, does not show zones. Globe shaped with small collar and tap root. Top is short, beets are uniform and smooth.

Detroit Dark Red Perfected (50-60 days) — Similar to the above, but with darker red flesh and taller top. One of the best for canning.

Eclipse (65 days) — Medium sized, flattened-globe shaped roots. Bright red flesh with whitish zones.

Early Blood Turnip (50-55 days) — The old standard that is well adapted to the Pecos Valley. Slightly flattened roots, flesh purplish-red with zones of lighter shade.

Early Wonder Improved (58 days) — Very desirable for home or market. Flattened globe roots have small collar and tap root, purplish-red. Tops medium and green.

STOCK BEETS (Mangel Wurzel)

Mammoth Long Red (110 days) — One of the heaviest yielders that grows about half out of the ground. Light red, extremely large, long, slightly tapered roots. White flesh with rose tinge. Easy to harvest. Adapted to alkaline soils.

Golden Tankard (102 days) — Nearly cylindrical, growing partly above ground. Skin deep orange-yellow, flesh yellow with white zones. Productive and sweet.

Giant Half Sugar Rose (90 days) — White flesh, high in sugar content. Valuable for feeding. Heavy yielding; long-oval white roots, rose colored at shoulder.

SWISS CHARD or SPINACH BEET

A member of the beet family which is grown for the top only. Green part of leaf used like other greens, stems used in salads.

Fordhook Giant (60 days) — Leaves are dark green, broad and upright, savoyed with broad white midrib. Has recently become the outstanding variety.

CABBAGE

For early, sow seed in hot beds in December or January, reset in open in February or March. For late planting sow seed in open beds and transplant. One ounce will produce about 2000 plants. Ten to fifteen thousand plants required to the acre.

Golden Acre (62-64 days) — Our best early variety with medium size, hard, uniform heads. Plants small, heads round, stems short, small outer leaves allow close planting. Stands a long time without bursting. Favored by truckers for early market.

Copenhagen Market (68-70 days — An old dependable in the Pecos Valley for early market and shipping. Round heads, solid and of superior quality. Short stem.

Marion Market (78 days) — Resistant to yellows, developed from Copenhagen Market but later maturing and slightly larger. Heads are about 7 inches in diameter, round, firm and of good quality. Will produce on yellows infested soil where non-resistant strains fail.

Early Jersey Wakefield (62-64 days) — Cone shaped, extra early, compact heads are five inches thick and seven inches long weighing about 2½ lbs. Leaf is dark green, stem is short.

Evergreen Hollander (90-100 days) — One of the most popular main crops in the mountain districts. A solid medium size head from 5 to 7 pounds. Outer leaves retain green color well and protect for long distance shipping. A heavy yielder.

Ferry's Hollander (105 days) — One of the best late varieties for high altitude. Solid spherical heads, $6\frac{1}{2}$ to 7 inches in diameter will weigh 6 to 7 pounds. Medium small, short stemmed, hardy plant. Excellent quality. Keeps well in storage until late spring.

Danish Ballhead (100 days) — Solid, large, flattened globe shaped head that keeps well in storage. Short stem and medium sized plant. Does extra well in mountain district.

Danish Roundhead (90-100 days) — Similar to Danish Ballhead but with shorter stem and slightly larger head. This is also a good cabbage for the mountain district.

Red Rock (100 days) — Forms a round, dark red, solid head about 8 inches in diameter. The quality is excellent and it keeps well in storage.

Late Flat Dutch (110 days) — A large, round, flattened and very firm head of a medium stem. A good cabbage for kraut.

CHINESE CABBAGE

Also known as "Chinese Lettuce," "Odorless Cabbage," "Celery Cabbage," etc. Plant in fall for best results, does fine on muck land. Do not sow in spring since it will bolt to seed, neither does it transplant well. Used in salads sometimes as a substitute for lettuce. Heads will keep well in storage for about two months.

Chihili (70 days) — Outside leaves dark green, inside creamy white of fine quality. Crisp, tender, sweet heads are 18-20 inches tall and 3½-4 inches thick. Sure heading.

CAULIFLOWER

One ounce produces 3000 plants, 6 to 8 ounces per acre. The cultivation is similar to that of cabbage. Leaves must be gathered and tied about the head to protect from the sun to facilitate bleaching.

Early Danish Snowball (30 to 35 days from seed to plant) 60 days from setting of plant to maturity)—An all purpose variety for both home and market garden. Has long been the leader in this locality.

ESTABLISHED 1900

CARROTS

Chantenay (72 days) — A splendid all purpose heavy yielder. 5½ to 6 inches long, 2¼ inches thick at the top. Stump rooted; flesh deep orange.

Chantenay Long Type (72 days) — A dependable producer of the long coreless type. Developed for soils that have high moisture table. Good shipper in bunches or bulk.

Imperator (77 days) — Long cylindrical and well stump rooted which makes it a popular bunching variety. Deep orange, excellent quality, 8 inches long, about 2 inches thick at shoulder.

Chantenay Red Cored (72 days) — Improved over the Chantenay in color, texture and flesh. Roots deep reddish-orange; $5\frac{1}{2}$ -6 inches long, $2\frac{1}{4}$ inches thick at shoulder. Stump-rooted.

Nantes Half Long, Scarlet (68 days) — Desirable for home garden and early market. 6-7 inches long, 1¼ inches thick. Small top, bright orange flesh of high quality.

Danver's Half Long (75 days) — Still a favorite with many. 6 inches long, 2 inches thick at shoulder. Orange roots, blunt tip and broad shoulder.

Oxheart or Guerande (72 days) — Roots are heart shaped and scarlet-orange. Desirable for field culture and heavy soil. Good keeper and often used for stock feed.

CELERY

The Roswell District has long been noted for a superior quality of celery, especially in flavor. The production should not be undertaken on a large scale by someone who is not experienced. Seed should be sown in April and plants reset in July. Must be bleached with boards, paper or earth. One ounce of seed will produce 10,000 plants.

White Plume (115 days) — A first early, solid and crisp. Foliage green tinted white but both foliage and stalks will blanch readily to snowy white. Medium sized plants.

Utah (125 days) — A green type, desirable for the main crop. Plants stocky, full hearted and compact.

Easy Blanching (125 days) — A very good green variety, second early. Vigorous and compact, blanches easily. White, thick, nutty-flavored stalks will keep well.

Golden Plume or Wonderful (115-120 days) — Blanches readily to a golden yellow. Crisp with excellent flavor. Heavy producer, about 24-26 inches tall.

CUCUMBERS

Don't plant until warm weather. Plant again in July for late pickles. Plant in hills 4 feet each way, one ounce of seed to 50 hills.

Straight-8 (66 days) — Straight, about 8 inches long and 2 inches thick. Deep green and rounded at ends. A favorite with commercial growers, most uniform.

Improved Long Green (70 days) — 10-12 inches long, about 3 inches thick. Preferred in the home garden, since it is for general table use. Prolific and a good seller.

Davis Perfect (68 days) — Dark green, 9-10 inches long, 2½ inches thick. Smooth and tapered at both ends. A shy-seeding variety of excellent quality.

Chicago Pickling (60 days) — One of the best for pickling. Medium green, 6½ inches long, 2¼ inches thick. Very prolific, warted and ribbed at pickling sizes.

Japanese Climber (58 days) — A distinct climber to cover fences and trelises. A hardy, vigorous grower that produces a cucumber of good edible quality.

Small Gherkin (60 days) — Superior quality for pickles. Very prolific. Fruits are pale green; prickly over entire surface; become 1½-2 inches long; 2½-2½ inches thick.

COLLARDS

A member of the cabbage family, cultivate same as cabbage. Non-heading, used for greens.

True Georgia (75 days) — The most popular variety. Vigorous plants withstand heat and adverse soil conditions. Plants 2-3 feet tall, form loose cluster of tender leaves.

SWEET CORN

Golden Cross Bantam (88-89 days) The leading hybrid for all purposes. Developed by Purdue University. Well proven in the Pecos Valley after nine years use. Adapted to varied conditions and resistant to disease. Sturdy straight stalks are 6 feet tall. Uniform ears, 8 inches long, have 10-14 rows. Plant thinly, the suckers will make ears. Medium sized, sweet kernels are a rich yellow in color. Good shuck coverage.

Stowell's Evergreen (95 days) — Deep, white, sweet, tender kernels; 14 to 20 rowed. A standard late variety that sells or cans well.

Golden Bantam (79 days) — Still the old favorite with many home and market gardeners. Ears 7 inches long with 8 rows of delicious kernels. One of the sweetest of all corns and of best quality.

Country Gentlemen (100 days) — Sweet, white, tender kernels, are irregularly placed on the ears that average 7 inches long and about 2 inches in diameter. One of the richest flavored of all the late varieties.

GARDEN CORN

Trucker's Favorite (82-85 days) — Resistant to ear worms which means much to the Pecos Valley where this corn has become popular during the past ten years. Good flavored and remains in roasting ear stage for long time, also used as an early dried corn, Stalks are 8-9 feet tall, usually bearing two ears which are 8-9½ inches long and carry 10-16 rows of tender kernels that are moderately sweet.

Hickory King (95 days) — A field corn that has been used for many years in the Pecos Valley for roasting ears. Will not stand long in roasting ear stage. One of the best for meal. 8 rowed, very large flat kernels and small cob.

DILL

Long Island Mammoth — Plants are $2-2\frac{1}{2}$ feet high with leaves cut into thread-like divisions. Flat seeds have strong, bitter flavor. The stem and sometimes the seeds are used for flavoring, especially in pickles.

EGG PLANT

Sow seed in hot beds in spring, set in open field when nights are warm. Requires rich soil. One ounce produces 1,500 plants. Excellent quality can be produced in the Pecos Valley.

Black Beauty (80 days) — A prolific early variety. The thrifty plants grow 24-30 inches tall and produce 4-6 large, smooth, dark purple fruit that hold well after picking.

New York Purple Spineless (83 days) — The spreading plants are 30-36 inches tall and bear 4-5 smooth, oval deep purple fruits that are slightly larger than Black Beauty.

KALE

Dwarf Siberian (60-65 days) — A hardy, productive variety with bluish green foliage that grows rapidly and is slow running to seed in the spring. Not so curly as the Scotch types.

Tall Scotch (75 days) — Very hardy, upright plants, 30 inches tall. Numerous large, deep yellowish-green, finely curled leaves. Both of these varieties can be planted in the spring or fall. The quality is improved by frost.

LETTUCE

Sow head lettuce in November for earliest spring use. Sow again very early in the spring. Will stand frost. In mountain districts head lettuce may be sown last of July for fall crop. Bolts seed stems and tip burns in hot weather.

Imperial 847 (83 days) — A medium sized head that has become well known for its resistance to brown blight and hot weather. Leaves are smooth and thick. Heads are firm, well folded.

Los Angeles, New York or Wonderful (80 days) — Large, sweet, crisp heads that are tightly folded. Now largely supplanted by the Imperial strains.

Los Angeles No. 12 (77 days) — This early sure heading strain will stand more warm weather than the above. Exposed heads are light green, the leaves are thin.

Great Lakes (82 days) — A recent development, has become one of the most satisfactory strains of the Imperial type. Attractive head, well-folded. Resistant to tip burn. Stands well in hot weather. Highly recommended for the Pecos Valley after a three year trial.

Iceberg (84 days) — Heads compact, crumpled, crisp and white interior. Edges of green leaves are tinged with reddish brown. Desired by mountain growers.

Early Curled Simpson (45 days) — White seed. Hardy and dependable, non-heading, forms compact bunch. Light green, tender and sweet.

Black Seeded Simpson (46 days) — One of the most popular of the loose leaf varieties. Broad leaves much blistered and excessively frilled. Stands well without seeding.

MUSTARD

Sow early in the spring, also again in the fall. One ounce to 50 ft. drill. Will produce tender succulent leaves in 4 to 5 weeks from time of sowing.

Giant Southern Curled — The most popular in the Pecos Valley. Hardy, wide, bright green leaves with curly edges. Plants quite upright, slightly spreading.

Large Smooth Leaf — Vigorous, large, deep green, broad-oval leaves which are plain except for the toothed margin.

Mustard Spinach or Tendergreen — Leaves oblong, broad, fairly smooth. Heat and drought resistant, slow to seed. Combines flavors of mustard and spinach.

MELONS—CANTALOUPES

The Pecos Valley always produces some of the best, both, for flavor and size. Plant after danger of frost, in hills 8 by 8 ft. One ounce to 50 hills. Planting seed under HOTKAPS in the field will produce marketable melons two to three weeks earlier.

Hale's Best (80 days) — We offer special select seed in this variety. One of the first on the market. Salmon flesh of excellent flavor and quality. A good shipper and the best seller on the local market. Fruits oval, $6\frac{1}{2}$ by $5\frac{1}{2}$ inches, covered with heavy netting, indistinct ribbing.

ESTABLISHED 1900

MELONS—(Continued)

Hale's Best No. 36 (80 days) — Quality and flavor much the same as Hale's Best. Shape is nearly round and ribbing almost eliminated. Fruits are smaller and more uniform than Hale's Best with small seed cavity.

Hale's Best No. 45 (88 days) — Powdery mildew resistant. Will stand long distance shipping without deterioration after it has been picked at full slip ripened stage, therefore, it is considered our best shipper.

Hale's Best Jumbo Strain (83 days) — A large fruited strain of this leading variety for local markets. Fruits oval, 5 to 6 lbs., ribbing somewhat prominent, heavily netted. Seed pocket rather large. Orange flesh is sweet and of good quality.

Rockyford (92 days) — A small green-fleshed melon. Spicy, juicy and of excellent flavor. Still used widely for home gardens. Small fruit, about $2\frac{1}{2}$ lbs., nearly round.

Texas No. 1 (90 days) — Developed by Texas Experiment Station for resistance to aphids and downy mildew. 5½ inches long by 5 inches, moderately netted. Firm, sweet, salmon colored flesh.

Banana (98 days) — Resembles a huge banana in shape, 14 to 20 inches long. Flesh is pronounced salmon with somewhat of a banana-like flavor.

Honey Dew, Green Fleshed (112 days) — A winter melon, 7 to 8 inches long, and 6 inches in diameter, nearly white, becoming creamy yellow, almost smooth. Flesh is thick, pale emerald green with honey-like flavor. Keeps well in storage.

WATERMELONS

Plant after danger of frost in hills 8 by 8 feet. About 2 lbs. of seed to each acre. The earliest melons can be produced by planting under HOTCAPS.

Kleckley Sweet, sometimes called Monte Cristo (85 days) — One of the best sellers of the cylindrical shape. Good for local market. Flesh bright red, crisp and extremely sweet. Dark green with thin, tender rind.

Improved Kleckley Sweet or Wondermelon (88 days) — An improved strain of Kleckley Sweet, being more full at either end. It is large, heavy, oblong, has a dark green skin and a thin rind. Scarlet meat and solid, sweet heart.

Stone Mountain, sometimes called Dixie Belle (90 days)—Oval, almost round with blocky ends. One of the largest, dark green with indistinct veining. Flesh bright red, crisp and sweet. Rind is thin but tough and hard. A good shipper and seller.

Texas Black Diamond (Florida Giant) (95 days)—Vines are vigorous and productive. A nearly round, dark green melon with firm red flesh. Ships well, will weigh about 40 lbs. Specimens have been known to reach 120 lbs. This has been a popular, all purpose melon in the Southwest during the past eight years.

Dixie Queen (85 days)—An oval-round melon that will average 30 lbs. Light green with dark green stripes. Very prolific and a good shipper of excellent quality. Crisp, sweet, bright red flesh is quite free from fibre. Thin but tough rind.

Halbert Honey (85 days)—Similar to Kleckley Sweet but somewhat larger. Fruits are cylindrical with blunt ends, slightly ridged, dark green, lightly veined, rind very tender. Flesh bright red and exceptionally sweet.

Irish Grey (95 days)—Tough rind makes it a good shipper. Productive, oblong, light grey tinged with green. Flesh bright red and firm. A favorite with many.

Blacklee (85 days)—Cylindrical fruit of about 35 lbs. Dark green, thin but tough rind. Sweet, bright red flesh of good texture. Vigorous vines are resistant to Fusarium wilt. Very well liked after four years use in our locality.

Golden Honey (85 days)—Flesh is amber-yellow, seeds are brown. Medium size, nearly round, light green with dark green stripes. Flesh is chunky.

ONIONS

The quality and yield of onions produced in the Pecos Valley is among the best. Sow seed in the open in September, transplant in February or March. Or, plant in hotbeds in January, transplant in March and April. Or, the seed may be drilled in the open field in February and thinned when the plants reach the size of a pencil, labor costs make this method very popular. Use 90,000 to 120,000 plants per acre in double rows.

Denia (105 days)—An old standby in the Pecos Valley. One of the largest, globe-shaped, yellow skinned, white fleshed. Very mild and sweet.

Yellow Valencia (114 days)—Has proven equal to the Denia. More flat, skin darker, also sweet and mild. A very good keeper and shipper.

In Both Denia and Yellow Sweet Spanish, we offer local grown seed from hand selected bulbs. These seed have proven that they will produce the best quality and the highest yields in this section. Priced separately on page 15.

White Valencia (114 days)—The largest of the globular, white varieties. Flesh clear, white, firm and mild. Small neck. In some localities does not obtain the desired size.

Grano (90 days)—Top-shaped, straw-colored skin, white flesh. Good keeper. Extra early, good flavor and sweet. Developed in New Mexico, known to some as Babosa.

White Grano—The same size as the Grano except that the skin color is white and in some soils it will not obtain the full size.

White Lisbon—Grown exclusively for an early bunching onion. If allowed to bulb, it will make a very thick neck.

Onion Sets—Used mainly to produce early green onions. We can supply White or Yellow.

OKRA

Sow seed thinly in warm soil, in drills about 2 ft. apart. Thin out to 9 inches apart. One and one-half ounces will plant 100 ft. of drill.

Dwarf Green Long Pod (50 days)—Pods are from 5 to 7 inches long, dark green, fluted and pointed. Plant is dwarf, about three feet high. Sets pods early and bears late.

White Velvet (60 days) — Pods are about 6 inches long, round and smooth, velvety white, excellent flavor and tender. Branching and prolific plants are about 5 ft. tall.

Clemson Spineless (50-55 days)—An improved strain of the long green pod type. Pods do not have prickly spines, will develop to 9 inches long by $1\frac{1}{2}$ inches in diameter, straight ridged and tapered near the tip. Plant grows about 5 ft. tall.

PARSLEY

Used for flavoring and garnishing. Does best in rich soil. One ounce of seed sows 150 ft. of drill.

Double Moss Curled (70 days)—A thrifty, compact plant. Attractive, deep green foliage. One of the best for market or home garden.

PARSNIPS

Sow seed in February in loose, rich soil. May be left in ground and dug as wanted. They are improved by frost. One ounce sows 200 ft. of drill.

Hollow Crown (95 days)—Roots are white, smooth and of excellent flavor, 12 to 14 inches long, about 3 inches thick at the shoulder with a deep, hollow crown.

PEAS

Plant February 15th to April 15th in drills 12 to 18 inches apart, one pound of seed to 50 feet. Must be planted early, will not stand summer heat of Pecos Valley.

Alaska (60 days)—One of the early smooth varieties. Will only mature one crop. Plants are about 28 inches tall and pods are 2¾ inches long.

Bliss Everbearing (76 days)—Dark green, thrifty vines about 30 inches tall, 4 to 5 light green peas in a straight pod. Has a long bearing period, does well in mountain sections.

Dwarf Telephone (75 days) — Stocky, light green plant about 25 inches tall. Light green pods contain 8 to 10 peas of good quality. Resistant to wilt. Good for home garden or shipping.

Little Marvel (62 days)—One of our most dependable for many years. Thrifty plants are 18 to 20 inches tall. Dark green, plump, straight pods contain 7 to 8 good quality peas. The quality and productiveness is unsurpassed.

Nott's Excelsior (62 days)—An excellent early variety and heavy yielder. Dark green plants, 16 inches tall with slender pods 3 inches long containing 6 to 7 medium size peas. A favorite with many in the Pecos Valley, also good in the mountain sections.

Thomas Laxton (62 days)—One of the most popular heavy yielders. Plants are about three feet tall. Pods, 4 inches long, well filled and square ended. Among the best for quality. Excellent for canning, shipping and freezing.

PEPPER

Sow seeds in hotbeds and transplant after nights are warm. Sow seed in open field after danger of frost. One ounce produces 2000 plants.

California Wonder (72 days)—By far the most popular of the sweet varieties. Good for shipping or local use. Pods are green, 4 lobed, very thick, heavy and smooth, $4\frac{1}{2}$ inches long by $3\frac{1}{2}$ inches through. Sweet, distinct flavor.

Pimiento (73 days)—Plants are large, erect, prolific. Fruits are sweet, heart-shaped, very smooth; color is dark green, changing to bright crimson. Unusually thick flesh.

Anaheim Chili (80 days)—Good for canning and drying, also, the best seller when green. Pod is longer and milder than the more pungent varieties but definitely a hot pepper. Deep green pod changes to bright scarlet. The dependable leading chili for many years.

Mexican Chili No. 9 (75 days)—A product of our own state. Slender, tapering pods that are still preferred by those who desire the most pungent.

Small Red Chili (82 days)—Pungent, conical pods; 2 inches long by ½ inch in diameter at the stem. Light to medium green, changing to deep red. Very productive, spreading plant, 18 inches tall.

PUMPKINS

Plant in hills 8 ft. each way after danger of frost. One ounce to 30 hills. Two pounds per acre.

Small Sugar or Pie (108 days)—The leader for general use. Fruits are deep orange, round, flattened at ends, somewhat ribbed, 6-8 pounds. Good quality, thick flesh.

Kentucky Field (120 days)—A heavy yielder for canning and stock feed. Large fruits, 10-15 pounds., odd shaped, creamy buff skin, yellow flesh, good quality, rather coarse.

Green Striped Cushaw (112 days)—Crooknecked, 10-12 lbs. Skin is hard, thin, smooth, dull white with irregular green stripes. Flesh is medium coarse, yellow and thick.

White Cushaw (110 days)—Smaller than the Green Striped, neck is straighter, and shorter. Skin is nearly white.

RADISHES

Plant early in the spring, follow by succession every 15 days. One ounce to 50 feet.

Crimson Giant (29 days)—Will stand well without becoming pithy. One of the most popular. Roots spherical to slightly top shaped, 1½ inches in diameter, deep scarlet.

Scarlet Globe Short Top (21-23 days)—Good quality. Chosen by shippers for its short top. Elongated globe roots are bright scarlet. Flesh is crisp and white.

French Breakfast (25 days)—Roots are scarlet with white bottom, oblong and blunt. Excellent quality for general use; also suitable for forcing.

Sparkler (26 days)—Root is almost globe shaped, lower third is white, balance is a dull scarlet. Splendid quality until large. Small tops that are desired by market gardeners.

Cincinnati Market (29 days)—The most popular of the long varieties. Tops are small, roots are straight, 6-7 inches long. Skin is fine scarlet. Flesh is white and crisp.

White Icicle (27 days)—The best of the long white radishes. The roots are 4-5 inches long, slightly stumped, transparent-white and brittle. Excellent quality, mild flavor.

Chinese Rose Winter (52 days)—A very popular distinct winter sort. Long cylindrical roots, thicker at lower end. Smooth, bright scarlet in color, flesh white, firm and pungent.

RHUBARB

Sow seed in spring, plants will be ready to re-plant the following fall or spring. Set plants 4 feet each way.

Victoria—The main crop sort. Vigorous, upright, thick, red stalks of splendid color.

SALSIFY or OYSTER PLANT

Mammoth Sandwich Island—Long, tapered, white roots, 6-8 inches long, $1\frac{1}{2}$ inches thick. Grows like a parsnip, needs deep soil. Plant in early spring, ready to use in November.

SPINACH

Sow in February and March and again in October for the earliest spring use. Will not do well in hot weather. One ounce to 50 feet, 10-15 lbs. per acre broadcast.

SPINACH—Continued)

Viroflay (45 days)—The long, broad, pointed, thick smooth leaves make this spinach generally preferred when conditions will allow it to be planted. Blights and bolts to seed readily in warm weather. Easy to wash and a good spinach to can.

Giant Nobel (44 days)—Considered by many to be the best of the thick, smooth leaved sort. Large vigorous plant that is an enormous yielder. Slow to form seed. A good canner.

Bloomsdale (42 days) — Will stand well without bolting to seed, therefore used extensively for spring planting. Leaves intensely crumpled and blistered, dark green.

Virginia Blight Resistant (39 days)—Used principally in sections where blight occurs. Somewhat smoother than Bloomsdale, inclined to bolt to seed earlier.

Old Dominion (40-42 days)—A cross between Virginia Savoy and King of Denmark and possesses the blight resistance of Virginia and the late seeding characteristics of the King of Denmark. Dark green and crumpled leaves except at the tip.

New Zealand (70 days)—Distinctly removed from true spinach. Plants tall and spreading with numerous shoots. Leaves rather small and pointed. Grows well in hot weather and under adverse conditions.

SQUASH

Plant when danger of frost is past, in hills 4 to 6 feet apart. One ounce of seed plants 40 hills.

Early White Bush Scallop (53 days)—Also known as patty pan. Plants are bush type. Fruits greenish white turning to white when matured, flattened and smooth with scalloped edges.

Golden Summer Crookneck (50 days)—Productive, bush type plant. Fruits are bright yellow and somewhat warted. Will become 12-14 inches long, edible at earlier stage.

Giant Summer Straightneck (55 days) — One of the best for shipping, since straight necks pack well without breaking. Fruits are large and heavier than crookneck. Skin is warted and yellow. A very good seller.

Italian or Zucchini (60 days)—Bush type plant. Fruits are grayish green, straight and nearly cylindrical, will become large. In best edible condition when 6-8 inches long.

Caserta (55-57 days)—Early, prolific, summer type. Glossy green fruit with interrupted dark stripes, 6-7 inches long by 1¼ inches wide. The quality is good and the yield is high.

Table Queen (Acorn or Des Moines) (80 days)—Of the winter type. Dark green, pointed fruit, 5½ inches long and 4 inches thick. Light yellow flesh, bakes dry and sweet.

Banana (105 days)—A winter trailing sort. About 2 ft. long, 6 inches in diameter with pointed end. A gray-green color with irregular stripes. Flesh is sweet, solid, dry, yellow and fine grained. Excellent for pies or baking.

Hubbard (100 days) — A standard winter squash. Fruits 9 to 10 inches through, globular, dark bronze green, very hard warted shell. Flesh is thick, yellow, fine grained and of excellent quality.

TOMATOES

Sow seeds in hotbeds and re-set plants after danger of frost, or sow in open when weather is warm and thin to a stand. Plants should be set or thinned to 4 feet each way. One ounce will produce 2000 plants or 8 ounces will plant an acre. Planting seed in the field is the most successful method in the Pecos Valley where tomatoes produce an extra good quality and yield. Plant seed under HOTKAPS to reach the early market.

TOMATOES (Continued)

Improved Marglobe (77 days) — For many years this has been a heavy producing tomato, well adapted to the Pecos Valley. Large, red fruit, smooth, globular with thick cell walls. Holds well in white ripe stage for shipping, also, an excellent canner. The plant is resistant to wilt and rust.

Bonny Best (70 days) — A second early, bright scarlet, smooth and uniform. The best canner where the season is too short for the Marglobe to produce heavy.

Rutgers (73-83 days) — Bred from Marglobe and J. T. D., it combines disease resistance of Marglobe with J. T. D.'s habit of ripening from the interior outwards. Coarser foliage than Marglobe and flatter at the stem end. Primarily intended for canning, has also proven a good green-wrap shipper and all-purpose variety of wide adaption.

Break O'Day (70 days) — Resembles Marglobe in shape, size and disease resistant qualities but not so productive. Open type plant. Fruits are scarlet, meaty and solid.

Pritchard or Scarlet Topper (75 days) — Wilt resistant, heavy producer of good quality. Fruits are slightly globular, solid and medium sized, scarlet and well colored about the stem.

New Stone (85 days) — Large, flattened, smooth and solid. Bright deep scarlet. A good late producer, preferred by many. Excellent canner.

Ponderosa or Beef Steak (90 days) — A large purplish-pink, somewhat rough, heavy, almost seedless fruit. Extra good for slicing. Bears well until late.

Earliana, Sparks (66 days) — Our earliest tomato. Fruits are medium sized, flattened, firm, quite smooth and bright red. Open plants produce clusters in center.

Dwarf Champion (78 days) — Distinctly dwarf and tree like. Fruits medium pink, smooth, solid, globular and flattened.

Yellow Ponderosa (89 days) — Large, mild flavored. Vines spreading and strongly resistant to wilt. Fruits rough, deep yellow and solid with small seed cells.

Small Fruited Varieties (73 days) — Both pear and plum shaped in both yellow and red. These are used mainly for preserves, pickles and pies.

New Varieties such as: Burbank, Lakeland and Southland are offered from stock.

TURNIPS

Plant in spring or fall, either in drills or broadcast. One ounce to 100 feet of drill. Two pounds per acre broadcast. One pound per acre drilled.

Purple Top White Globe (56 days) — The most popular main crop for both home use and shipping. Roots are purple above ground and white below. White, fine grained flesh.

Amber Globe (75-80 days) — Our most popular yellow variety. Skin and flesh are yellow. Fine grained, sweet and of good quality. Larger than Purple Top.

Shogoin or Japanese (42 days) — The best variety for both greens and roots. Tops are 18-20 inches tall, erect, bright green, strap leaves. Roots are medium small, white throughout, semi-globe, sweet and mild. Plant is louse resistant and thrives in hot dry weather.

American Yellow Purple Top Rutabaga (90 days) — Large globular roots with small neck and slight tap roots. Yellow with purple top. Fine grained, firm, crisp and sweet. Milder and sweeter when grown in the mountain districts.

Garden Seed Price List

ASPARAGUS	Pb+	½ oz.	1 07	1/ Ib	1116	10 lba
Mary Washington Paradise	10	72 02.	201	74 ID.	1 10.	10 105.
Paradise	10	20	50	1.50	1.00	14.50
BEANS		00	00	1.50	4.50	
Improved Burpee's Stringless Green Pod				15	AE	0.05
Tendergreen			**********	. 15	40	2.00
Giant Stringless Green Pod			***********	.10	.50	3.40
Improved Paneil Ped Plack Warr				10	50	3.25
Improved Pencil Pod Black Wax				15		3.40
Kentucky Wonder		**********		15	.50	3.25
McCaslan				15		3.25
LIMA BEANS					-	0 ==
Burpee's Improved				15	50	3.55
Henderson's Bush					45	2.85
Fordhook Bush				15	50	3.70
Jackson Wonder			*********		.45	2.85
King of the Garden					50	3.55
Sieva				15	45	2.85
Florida Butter Speckled					45	3.15
Giant Speckled Pole Butter				15	.50	3.70
BEETS						
Detroit Dark Red		10		.45	1.30	11.80
Detroit Dark Red Perfected		.10	.15	45	1.40	12.80
Eclinga		10	15	45	1 40	12.80
EclipseEarly Blood Turnip		10	15	45	1 30	11.80
Early Wonder		10	15	.45	1 30	11.80
STOCK BEETS — (Mangel Wurzel)			10			11.00
Manusch Long Rod		10	15	- 40	1 90	0.50
Mammoth Long Red	~~~~~	10	15	40	1.20	9.50
Golden Tankard		10		40	1.20	9.50
Giant Half Sugar Rose		10	19	40	1.20	9.50
SWISS CHARD		10	4.0	40	1 00	
Fordhook Fancy		10	15	40	1.20	~~~~~
CABBAGE Golden Acre			501		10 7	20.00
Golden Acre		.20	35	1.05	3.10	_28.00
Copenhagen Market		.20	35	1.05	3.10	_28.00
Marion Market	******	.20	35	1.10	3.30	_29.70
Early Jersey Wakefield		.20	35	1.00	3.00	27.00
Evergreen Hollander		20	35	1.00	3.00	27.00
Ferry's Hollander		20	.35	1.00	3.00	27.00
Danish Ballhead		20	35	1.00	3.00	27.00
Danish Roundhead		20	35	1.05		
Red Rock		25		1.15	3.45	
Late Flat Dutch		20	35	1.00	3.00	27.00
CHINESE CABBAGE						. 20 7 . 0 0
Chihili		15	25	80	2.40	
CAULIFLOWER						
Early Danish Snowball		1.10	1.90	5.80	.17.50	
CADDOMC		1.10	1.00	0.00	,11.00	
Chantenay			20	.60	1.75	15.50
Chantenay Long Tong		15	25	65		17.50
Chantenay, Long Type	10	19			1.95	17.50
Imperator Pod Const	10		20	60	1.70	
Chantenay Red Cored		15	25	65	1.95	17.50
Nantes Half Long, Scarlet	4.0	15	25	70	2.10	18.90
Danver's Half Long	10		20	60	1.70	15.00
Oxheart or Guerande	10		20	60	1.70	15.00

Notice: The ten pound price is not prepaid. Other prices on this page are postpaid. We shall be pleased to quote special prices on amounts larger than ten pounds.

ALL PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

C	701.4	4/		1/ 11	4 11	d 0 31
CELERY White Plume	Pkt.	½ oz.	1 oz.	1/4 lb.	1 lb.	10 lbs.
White Plume	10	45	80	2.50	7.50	dire can believe our out for one on one
Utah	10	45	90	2.40	7.50	
Easy Blanching Golden Plume or Wonderful	10	50	95	2.85	8 50	
CICIMPEDS				2,00	0.00	
CUCUMBERS (1 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/		15	25	70	2.00	19.00
Improved Long Green		15	25	75	2.00	20.70
Davis Perfect		15	95	70	2.00	18.00
Chicago Pickling	10		20	60	1.70	15.30
Japanese Climber		15	25	75	9 25	TO.00
Small Gherkin		20	35	1.00	3.00	* design submare consense all field that was
COLLARDS						
True Georgia			.10	.30	.85	
SWEET CORN		**********				
Golden Cross Bantam Hybrid				20	60	4.30
Stowell's Evergreen	***********		31.	15	40	2.80
Golden Rantam	*********			15	40	2.80
Stowell's Evergreen Golden Bantam Country Gentleman	***********			.15	.40	2.90
GARDEN CORN						
GARDEN CORN Trucker's Favorite				.10	.30	1.90
Hickory King						
DILI	1					
Long Island Mammoth		.10	15	.45	1.35	
EGG PLANT				munumn & & O		
Rlack Reauty		.40	.70	2.15	6.45	58.00
New York Purple Spineless		.40	.70	2.15	6.45	58.00
		1				
Dwarf Siberian		10	15	45	1 40	
Tall Scotch	.10	monotone 8 alle V	20	60	1.80	*****
LETTUCE		0.0000000000000000000000000000000000000			1.00	
Imperial 847		20	35	1.00	3.00	27.00
Los Angeles		20	35	95	2.75	23.00
Los Angeles No. 12		20	35	95	2.75	23.00
Great Lakes		.30	.55	1.70	5.00	45.00
Iceberg		.15	.25	.70	2.10	18.90
Early Curled Simpson	.10		.20	.55	1.65	14.85
Black Seeded Simpson	10		20		1.65	14.85
MUSTARD						
Giant Southern Curled		.10	.15	.45	1.05	9.45
Large Smooth Leaf		.10	.15	.45	1.05	9.45
Mustard Spinach or Tendergreen		10	15	45	1.05	9.45
MELONS—CANTALOUPE				n alle		
Hale's Best, Special Select		.15	25	75	2.25	19.50
Hale's Best No. 36	10			60	1.80	
Hale's Best No. 45	10		.20	60	1.80	
Hale's Best, Jumbo Strain	10		20	60	1.80	
Rocky Ford	10		20	60	1.90	16.70
Texas No. 1	10		20	60	1.90	_16.70
Banana		15	25	70	2.10	-
Honey Dew, Green Fleshed		15	25	75	2.30	
WATERMELON						
Kleckley Sweet	10		20	60	1.70	_15.30
Improved Kleckley Sweet	10		20	60	1.70	_15.30
Stone Mountain	.10		20	60	1.70	15.30
Texas Black Diamond	.10		20	65		
Dixie Queen	All dan dar der dir salt (Mit dal sam an	.15		75		
Halbert Honey	.10		20	.60		
Irish Grey						
Blacklee		.20	30	80	2.40	_21.60
Golden Honey	-	.15	.25	.70	2.10	_18.90

Notice: The ten pound price is not prepaid. Other prices on this page are postpaid. We shall be pleased to quote special prices on amounts larger than ten pounds.

and the second second second second						
ONIONS	Pkt.	½ oz.	1 oz.	1/4 lb.	1 lb.	10 lbs.
Denia, Pecos Valley Grown	10	35	65	1.85	5.50	_41.00
Yellow Sweet Spanish, Pecos Valley	10	35	60	1.70	5.00	_40.00
White Valencia]10	35	60	1.70	5.00	40.00
Grano, Yellow					- 11	
Grano, White						
White Lisbon	.10	35	60	1.70	5.00	_40.00
OKRA						
Dwarf Green Long Pod			10	30	90	7.50
White Velvet	-		10	30	90	7.50
Clemson Spineless			10	30	90	7.50
PARSLEY						
Double Moss Curled		.10	15	.40	1.20	9.50
PARSNIPS						
Hollow Crown	Annual and a second sec	.10		.40	1.20	gla explored do males so mela
PEAS						
Alaska				15	35	2.30
Bliss Everbearing					40	2.60
Dwarf TelephoneLittle Marvel				15	40	2.80
Little Marvel				15	40	2.60
Nott's Excelsior					40	2.60
Thomas Laxton					40	2.60
PEPPER	1 1					
California Wonder	.10	.40	.75	2,35	7.00	66.50
Pimiento	.10	.40	.70	2.15	6.50	61.00
Anaheim Chili	.10	.40	.70	2.15	6.50	_61.00
Maniana Chili Na O	(
Small Red Chili	.10	40		2.15	6.50	_61.00
PUMPKINS						
Small Sugar or Pie			15	45	1.35	_12.00
Kentucky Field				35	1.05	9.45
Green Striped Cushaw			.15	45	1.35	12.00
White Cushaw		10	15	45	1.35	_12.00
RADISHES						
Crimson Giant		10	15	35	1.00	8.00
Scarlet Globe Short Top				35	1.00	8.00
French Breakfast	1	10		30	.90	7.50
Sparkler				30	90	7.50
Cincinnati Market		10	15	30	90	7.50
White Icicle				35	1.00	8.00
Chinese Rose Winter		10	15	35	1.00	8.00
RHUBARB						
RHUBARB Victoria	.10	20	30	.90	2.85	alon sign figur gare gain talls abid from 10.
				14		
SALSIFY Mammoth Sandwich Island	.10	35	65	1.85	5.50	
SPINACH						
Viroflay			10	25	60	4.85
Giant Nobel			10	25	60	4.85
Bloomsdale	*******	an andreas and a project on	10	25		4.85
Virginia Blight Resistant			10	25	60	
Old Dominion				25		4.85
New Zealand		10	15	35	1.05	
SQUASH						
Early White Bush		10	15	45	1.40	_12.00
Golden Summer Crookneck		10	15	45	1.40	12.00
Golden Summer Straightneck		.10		45	1.40	12.00
Italian or Zucchini	·	.10			1.50	12.80
Caserta		20	.30	.90	2.70	24.00

Notice: The ten pound price is not prepaid. Other prices on this page are postpaid. We shall be pleased to quote special prices on amounts larger than ten pounds.

ALL PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

SQUASH—Continued Table Queen Banana Hubbard	Pkt. 10 10	happanania	20	60	1 lb. 1.80 1.80 1.80	14.40
TOMATOES					3	
Improved Marglobe	10	40	75	2.15	6.50	_58.00
Bonny Best	10	.40	65	1.90	5.55	_49.95
Rutgers		25				
Break O'Day	10				6.50	_58.00
Pritchard or Scarlet Topper	.10	35	60	1.75	5.20	
New Stone	.10	30			4.50	
Ponderosa	25	60			9.30	
Earliana	10				6.50	
Dwarf Champion	10				7.70	
Yellow Ponderosa		65	1.15			
	10		85	2.60	7.70	69.30
Small Fruited Varieties	25		80	GO COMPANY NO NO AND DAY AND AND		
Burbank	.10	45			7.70	
Lakeland	25				_16.00	
Southland	25	75	1.35	4.00	12.00	
TURNIPS						
Purple Top White Globe		10		45	1.25	10.50
Amber Globe	********	10			1.20	
Shogoin or Japanese	10 Un 100 UK ME ME ME ME UN	10				
American Yellow Purple Top Rutabaga		10	15	40	1.20	10.00

Notice: The ten pound price is not prepaid. Other prices on this page are postpaid. We shall be pleased to quote special prices on amounts larger than ten pounds.

LAWN GRASS SEED

Kentucky Blue Grass—A semi-evergreen grass that does well in shade. Will not thrive in total sunny spots. Requires considerable water and does not spread. Dark green, medium fine blades. One of the best for shaded lawns. May be planted in cold weather, fall months preferred. Plantings in extreme hot weather are not satisfactory. 1 lb. \$1.20; 10 lbs. \$11.00. Plant two pounds per thousand square feet.

Bermuda Grass—Very hardy, in fact hard to kill if grown in the sun. Does not require as much water as Blue Grass but more than natural rain fall. Spreads by continuous runners that root at the joints. Will stand abuse and pasturing. Will stand partial but not total shade. Extensively used throughout the Southwest. Plant after May 1st and before August 15th. 1 lb. 75ϕ ; 10 lb. \$6.75. Plant one pound per thousand square feet.

English Rye Grass—(Perennial). A coarse bladed, semi-evergreen grass that stools similar to the rye plant. Resembles Kentucky Blue Grass when planted thick and kept mowed but will stand more sun and abuse. 1 lb. 40ϕ ; 10 lbs. \$3.60. Plant three pounds per thousand square feet.

Domestic Rye Grass—(Annual or short-lived perennial). A quick growing hardy grass that resembles the English Rye Grass. Often sowed in Bermuda in the fall to give a green lawn during the winter months. 1 lb. 30ϕ ; 10 lbs. \$2.70. Plant three pounds per thousand square feet.

Creeping Seaside Bent—Used extensively on golf greens. A light green, fine short blade. Makes a very thick turf. Requires heavy watering, thrives when cut close. A true creeping Bent that makes a uniform smooth lawn. 1 lb. \$1.85; 10 lbs. \$16.65.

White Dutch Clover—A small, close growing, dwarf clover that will produce a small white blossom. Rapid growing, of spreading habit, will stand close cutting without injury. Excellent in lawn mixtures, seldom used alone. 1 lb. \$1.80; 10 lbs. \$16.20.

FIELD SEEDS

ADAPTED TO THE SOUTHWEST

ALFALFA

New Mexico Common—One of the first crops to be produced in the Pecos Valley. It has held its place while other crops come and go due to its ability to build soil and at the same time produce a cash crop of hay or seed. In a recent check against new varieties: it still proved to be the highest yielder of our most valuable hay. Usually, this crop is allowed to produce for a period of four years to gain the most in cash and soil building qualities. Our highest yields and best quality of grains, cotton and vegetables will come from land that has been in alfalfa due mainly to the fact that alfalfa has stored nitrogen in the soil and that plant diseases are reduced. To offer the highest quality seed, we maintain the most modern equipment for recleaning and processing. This season, we will offer several lots that are better than 99% pure with better than 95% germination. In the Pecos Valley, the choice time to plant is in the first twenty-five days of September, April is preferred for spring planting. Use 20 lbs. of seed per acre. An application of 60 lbs. available phosphate per acre will greatly increase the yield, often producing 5 to 7 tons of hay per acre in 5 cuttings. Seed yields will run from 100 to 500 lbs. per acre, depending upon weather and insects.

BARLEY

Club Mariout—This is our earliest maturing barley, it is six rowed, rough awned and hulled on a short, stiff stalk. Strictly a spring barley that does not survive our winters. The early maturing allows double cropping. Plant 70 to 100 lbs. of seed per acre in February, March or early April to allow harvesting in July and then follow with a planting of some early maturing sorghum grain. An average yield is 50 to 60 bushels per acre.

Conway—A smooth awned, spring barley that was developed by our own A. & M. College. It is a dependable, heavy yielder in the Pecos Valley and has made a good showing in all comparative tests. The stalk is taller and the maturity is later than Club Mariout.

New Mexico Winter—Selected by our A. & M. College to fill a specific need on irrigated lands for a winter-hardy pasture and a heavy grain yielder. It has filled the bill and is truly outstanding. Certified and Registered seed is offered. The Registered is the latest selection, it will make more pasture, is a heavy yielder of grain and will require longer to mature. Rough awned, definitely a winter variety that will not make grain when planted in the spring. Plant 70 to 100 lbs. seed per acre from August to December 15th. The late plantings will not make pasture before spring.

Trebi—A well known barley that still gives good yields on the irrigated lands of the Southwest. Six rowed, bearded, hulled and rough awned. Awns will thresh free from the grain. Trebi will mature grain when planted in the fall or in the spring.

FIELD BEANS

Pinto—A dry land crop throughout the Southwest. Produces a better quality in the high altitudes and is adapted to those short seasons. A rather small, spreading bush type plant that is prolific and highly resistant to drouth. Plant 25 lbs. seed per acre in early July. It has been known to produce 1500 lbs. per acre.

CORN

Jacques 1157-J—This 115 day Hybrid has produced some of the best yields during the past eleven years. Deep rooted, withstands high winds and drouth, bred in the north. The thick, deep, yellow kernels are closely packed on a small cob. The rugged ears, up to 12 inches long, are rather high on the stalk with a long shank. Husks open nicely in the fall for fast drying and easy picking. Plant in April and May, the later plantings show more worm damage.

Jacques 902—A 90 day Hybrid with a tall, sturdy, well anchored stalk. Rich, yellow kernels are wide and deep with medium rough dent. Favored where the growing season is short. Other Jacques Hybrid, ranging from 85 to 120 day, are offered.

Texas Hybrid 20—A double cross from four of the best Texas varieties. Deep yellow,

Texas Hybrid 20—A double cross from four of the best Texas varieties. Deep yellow, large medium soft grain. The tight, heavy shuck resists the worms to help make this a desirable variety in Southeastern New Mexico during the past two years.

Texas White No. 9-W—An early maturing, white, hybrid that is widely used for roasting ears. Also, it makes an excellent dry shelled corn. Prolific medium sized ear has a thorough shuck coverage and resists the ear worm. A good drouth resister. Nine foot stalks regularly produce two ears. Has become very popular in the Pecos Valley in three seasons.

Mexican June—Dependable in the Southwest due to drouth and disease resistant qualities and to the tight, heavy shuck which resists worms and birds. Stalks are extremely tall and most desirable for ensilage. Kernels hard. Other varieties may yield more shelled corn at times but Mexican June is sure to make corn every year. About 110 days to mature. Plant in June with 7 lbs. of seed per acre.

Strawberry or Calico—An all purpose, one of our heaviest yielders. Kernels are soft and most are striped with red, white and yellow. Large ears, stalks medium to large. Will mature in about 120 days.

COTTON

Acala 1517-A—Bred for the Pecos Valley, it has produced her highest known yields. Government tests have shown 1517-A to be among the best spinning cottons in the United States. Uniform staple of about 1½ inches. Large bolls, four and five lock, are easily picked. Registered or Certified seed will be offered, either delinted or in the lint. The delinted seed is favored since it will germinate 5 to 7 days sooner and the delinting will reduce the lint-borne diseases. Begin planting on April 10th with 12 lbs. delinted or 32 lbs. lint seed per acre. Not safe to plant after May 20th.

GRASSES

Alta Fescue—Has almost supplanted Meadow Fescue. It is more productive and more resistant to alkali and drouth, although somewhat coarse. Palatable and will supply pasture the year around. Excellent in mixtures for permanent irrigated pastures. Short supply this spring.

Crested Wheat—(Standard)—A good drouth resistant, long lived grass for hay or pasture. Better adapted to the high altitudes, will thrive in a wide range of soil-types. Plant in the fall, on a firm bed, not over ½ inch deep, using 10 lbs. seed per acre.

Johnson—A perennial classed as noxious in many States and constantly fought by Southern farmers but is valuable to the semi-arid section that has land subject to periodical overflow where it will provide good pasture and hay. Responds to cultivation.

Orchard—A hardy, rather coarse grass that is good for hay or pasture. Deep rooted, grows in tufts. Most valuable in mixtures for permanent irrigated pastures.

Perennial Ryegrass—Often used in lawns. Plants form a dense turf, are very nutritious and palatable in the pasture. Very valuable in the permanent irrigated pasture mixture.

Sudan—A fast growing annual which produces an abundance of summer pasture or hay. Will make ensilage. Requires irrigation in the Pecos Valley. The rainfall of eastern New Mexico and Western Texas is sufficient for this crop during most seasons. Plant after the danger of frost using 5 to 12 lbs. in rows or 20 to 50 lbs. broadcast per acre.

Sweet Sudan—Developed from Leoti Red Sorghum and Common Sudan. Sweet Sudan has broader leaves, larger stems, taller growth, stools more and is much sweeter than Common Sudan Grass.

Roswell Mixture—This mixture, for permanent, irrigated pasture in the Pecos Valley has become our choice after several years of observation. It has been outstanding and created much enthusiasm during the past four years. Year-around pasture is provided by these deep-rooted perennials that develop a good turf. They need good soil and will respond to nitrogenous fertilizers. To get maximum growth, should be irrigated every ten days to two weeks. For best results: cross fence or divide pasture in quarters. Then, pasture one-fourth while the balance is growing and being irrigated. The seed should be planted very shallow in late August, September and October, using 16 lbs. per acre. Surface must be kept damp until a stand has been obtained. Spring plantings are not generally satisfactory.

MILLETS

Big German—The small stems and narrow leaves make quick summer hay or pasture. Long, tight heads produce an abundance of grain. Sow broadcast for hay using 20-25 lbs., usually produces 4-5 tons per acre in about 60 days. Drill in rows for seed using 5-10 lbs., will produce 2000-3000 lbs. threshed grain per acre in about 70 days. Requires warm weather, will produce satisfactory crop on reasonably good soil.

Proso or Hog Millet—The quickest making catch crop. Will mature in 45 to 50 days. Low growing sprangled heads. Grain is larger than Big German. Excellent feed for poultry and hogs. Has made two crops of grain in one season when planted by June 1st.

OATS

Ferguson 922—This variety has produced some of our best yields, often 100 bushels per acre of large heavy red grain; around 40 lbs. per bushel. Stools more than others, makes good pasture and is a good nurse crop for alfalfa. Plant in August and September or in February and March, using 100 lbs. seed per acre.

Texas Red Rust Proof—For years this has been a standard in the Pecos Valley where it is still a good producer. Not recommended for planting at altitudes above 5500 feet.

PEAS (Field)

Blackeyed—A standard, prolific, main crop, classed as a field pea but excellent for table use as green snap or dry shelled. Pods will become 7 inches long and reach snap stage in about 45 days or mature dry peas in 60 days. The tall, strong, prolific plants make a good forage crop and they are soil builders. We will offer local grown and California grown seed.

Brown (Sugar) Crowder—Used and grown very much the same as Blackeyed Peas. Plants are about 28 inches high. Pods are 7 inches long, crowded with 10-12 odd shaped peas.

Cream Crowder—Quite Similar to Brown Crowder in use and growth. Seeds are medium smooth, cream color with buff eye.

POP CORN

Giant Yellow Mushroom—Yields well in the Southwest and has been our most popular variety for a number of years. When popped, it has a distinct flavor, no husks or hard centers and is cream colored. Very large yellow kernels.

RYE

Balboa—Stools and grows well in cold weather to form a heavy turf which makes it one of the best for fall and winter pasture. This crop can be produced on poor soil with little moisture and is often turned under for soil building. Plant 60 to 90 lbs. per acre in the middle of August for the best fall pasture.

SORGHUM GRAINS

Atlas Sorgo—Developed in Kansas by crossing Blackhull Kaffir and Sourless Sorgo. An excellent ensilage crop and generally considered to be that only. Will make molasses, also, it will make good hay when planted very thick. Tall, stout stalks, will resist lodging and become ten feet high if given room, very sweet and leafy. The grain has a low feed value.

Cane, Red Top or Sumac—A well known standard for its high yield of good quality bundle feed or hay. Often turned under while green to enrich the soil. Will endure considerable alkali. Sweet stalks will become 6-8 feet high when drilled in rows using 6 lbs. seed per acre. Thick sowings of 60-80 lbs. per acre, broadcast, will produce a heavy crop of very fine stems 3-4 feet tall.

SORGHUM GRAINS—(Continued)

Cane, Honey Drip—The most popular for syrup and it will make a heavy yield of high grade ensilage. The heavy, juicy, sweet leafy stalks are free stooling and will reach a height of 12 ft. Matures in 135 days, plant 5-10 lbs. seed per acre in 3 ft. rows.

Caprock Milo—The late maturing selection from the cross of double dwarf kafir and dwarf milo. Heavy yielder, grows 30-40 inches tall and matures in about 110 days. The grain has high feed value, preferred by many feeders. The plants are resistant to Pythium rot and stand erect. Plantings of 8 lbs. per acre in 36 inch rows have produced 5000 lbs. of grain. Use Certified seed to avoid the rogues that interfere with combining.

Darso or Bird-Proof Maize—Will grow 3-5 feet tall to produce good grain and forage. Heads are resistant to shattering and bird damage. Stalks are juicy and slightly sweet, they make good cured bundles. Matures in 115 days.

Hegari, New Mexico—Our best all-purpose feed crop. The grain rates high among feeds and sells readily. The sweet stalks will stool and make our best bundle feed, also used for green or dry ensilage. The grain is often threshed and the stalks pastured. One of the most drouth resisting crops. Matures in 114 days. Plant 8 lbs. per acre in three foot rows any time after danger of frost but late planting (about July 1st) will grow easier and produce better. Hegari is one of the most profitable crops that can follow barley or oats in the double cropping program.

Hegari, Arizona Certified—The same as the above with some contention that it matures sooner on a slightly shorter stalk. Very uniform in grain and stalk.

Early Hegari—Identical with Hegari except: it matures about 15 days earlier, has fewer leaves and produces much less grain. Planted only when hegari does not have time to mature and grain is desired.

Plainsman Milo—The early maturing sister of Caprock Milo. Grows about 30 inches tall and matures in about 105 days. The high feed value, combined with the early maturity has made Plainsman our most popular combine sorghum grain; it affords double cropping on irrigated lands and late planting as a dry-land crop. Erect plants are also resistant to Pythium rot. Plant the same as Caprock, yields will be slightly less. Plant Certified seed to produce more and avoid the rogues, the cost will be only 15 to 20ϕ more per acre.

WHEAT

Marquis—A hard, red, beardless, spring wheat which has short, stiff straw. Productive on Western irrigated soils, about ten days earlier than most varieties.

Thatcher—A new, rust resistant, hard, red, beardless spring wheat.

Wichita—A new bearded, red, winter wheat. Its high yielding ability has placed it among leaders.

RAT & MOUSE POISONS

Rat Scent—A poison grain that is scented to attract rats, mice, gophers, squirrels and prairie dogs. They cannot eat Rat Scent and live. 7 oz. box 35ϕ ; 12 oz. box 50ϕ .

Cowley's Rat and Mouse Poison—Arsenic in liquid. Rats and mice accept it readily as a drink. Effective and simple to use. 6 oz. bottle 50ϕ .

Dr. Legear's 3 Way Rat Killer—Contains 18.4% Antu that kills the Brown-Norway (common farm) rat. Used as a tracking poison, a bait poison and a water poison. 1¾ oz. 90¢.

Cyanogas—See page 22.

JOHN BEAN POWER SPRAYERS

To make any spray material effective, we must have coverage, coverage is obtained by a fine mist that is created by high pressure. The BEAN Sprayer continually provides that high pressure for spraying: crops, trees, livestock, buildings and for weed control. A famous sprayer since 1884.

The late models are reliable and long lived combined with superior performance and greater ease of operation. Buy a BEAN Sprayer, be assured of trouble free service. Ask for catalog which illustrates different sizes and types ranging from those with 500 gallon tanks that deliver 50 gallons per minute at 800 lbs. pressure to those with 15 gallon tanks that deliver 2 gallons per minute at 200 lbs. pressure. It shall be a pleasure to demonstrate, also, to refer to many satisfied users.

SPRAYERS & DUSTERS (Hand Operated)

Hudson, Perfection—4 gallon, open top compressed air sprayer with completely seamwelded tank. The new Simplex Inner-Seal cover has no fingers, nuts or gadgets to wear or cause trouble, it seals from the inside, the first two pounds of pressure locks against leakage. Handles all insecticides, effective with white wash. Equipped with 30 inches of oil and chemical proof hose, a 24 inch brass extension tube and all-angle nozzle. The trigger-quick control valve is trouble free, made from solid brass. \$12.35.

Hudson, Climax—3½ gallon, open top compressed air sprayer with galvanized tank that is constructed the same as the Perfection. Pump is of the same brass tubing but 1½ inches shorter. 24 inch oil and chemical resistant hose, brass angle nozzle. \$10.15.

Hudson, Climax Junior—2¾ gal. tank, otherwise identical to the Climax. \$10.05.

Hudson, Booster—3¼ gal. compressed air sprayer, galvanized seam-welded tank with built-in funnel top. Pump locks into tank by an unbreakable steel cam. Equipped with 22 in. oil and chemical resistant hose, 21 in. extension tube and solid brass nozzle. \$6.55.

Master Super-Flame Weed & Utility Burner—Burns kerosene, distillate or white gasoline to produce a very effective flame at the end of a 45 inch tube. Pressure tank is the tank of the Hudson Perfection Sprayer equipped with gauge. \$28.65.

Hudson, King—Attach this pump to any barrel for supply tank and support. Ample capacity for two leads of hose at 200 lbs. working pressure. Agitator is steel dasher that will mix and keep intake screen clean to permit the use of concentrated solution. Double action pump plunger, 1¾ in. by 6 in. seamless brass cylinder, pumps against 2 by 24 in. air chamber to deliver constant spray. Equipped with 10 ft. of ¾ in. high pressure hose, 3 ft. extension tube, solid brass angle spray nozzle with three discs and control valve. \$21.95.

Hudson, Modoc—This inexpensive, double action pump provides continuous spray of 150 lbs. pressure easily from a bucket. Quickly sprays all solutions in the garden, lots and buildings. Held in working position by foot rest which is high enough for 16 qt. pail. Equipped with 3 ft. hose, 24 in. extension tube and solid brass angle nozzle. \$7.75.

Hudson, Capital—3 quart compression sprayer with control valve. Operates as continuous sprayer when valve is held open. Tank is double seamed, heavily soldered. \$3.35.

Hudson, Cardinal—3 quart continuous sprayer with nozzle that adjusts with flick of the finger. Will handle all sprayable fly oils and DDT solutions. \$2.15.

Hudson, Mercury—The highly popular, all purpose, one quart continuous sprayer with the quickly adjustable nozzle. \$1.30.

Hudson, Critic—Same as the Mercury except it has a glass jar quart tank. \$1.80.

Intermittent Household Sprayers—The Misty and the Handy are quart size with metal tanks that spray only on the down stroke: 65ϕ and 50ϕ resp. The Bantam at 25ϕ has a 5 oz. glass tank.

Dusters on Next Page

All Prices Are Subject to Change Without Notice.

DUSTERS (Hand Operated)

Stauffer Knapsack—Balances on the back, resting on padded back rest, suspended by adjustable shoulder straps. Easy to carry the capacity load of 18 to 20 lbs. Raise and lower the right arm to operate the 10 inch bellows and deliver a blast of dust over a large area. Sensitive feed-adjustment-lever permits spot dusting or complete coverage. Twin agitators spin at each stroke and pulverize dust even when somewhat "lumpy." Equipped with 22 inch flexible discharge hose, 24 inch metal extension tube and nozzle. Scoop on back of cover provides for quick and convenient filling. \$28.80.

Admiral Duster—Designed for garden and household dusting, also, efficient applicator of Cyanogas in rodent extermination. Built-in scoop on large filler cap provides easy filling with a quart of powder. 21 inch discharge tube with swivel nozzle. 2¾ by 9½ inch pump gives strong blast. \$1.65.

The Cadet and The Signal are similar to the Admiral but smaller and have no extension tube. The Cadet: $1\frac{1}{2}$ by 13 in. overall is offered at 65ϕ . The Signal: $1\frac{1}{2}$ by 10 in. offered at 50ϕ .

INSECTICIDES & FUNGICIDES

For the Field, Garden, Home and Industry

Arsenate of Lead—Still a standard poison for control of chewing insects. The common mixture is one pound in 25 gallons of water. 1 lb. 40¢; 4 lb. bag \$1.40; carton of 12 4 lb. bags \$16.08.

Black Leaf 40—A quick acting contact killer of plant lice, and other soft bodied insects. 40% Nicotine 1 oz. 36ϕ ; 5 oz. bottle \$1.05; 5 lb. tin \$7.90; 10 lb. tin \$12.65.

Bordow Mixture—An excellent fungicide, also increases foliage growth. Contains Magnesium hydrate and copper. 1 lb. 35ϕ ; 4 lb. bag \$1.00; carton of 12/4 lb. bags \$11.05.

Bug Bane—A household spray containing Chlordane and Pyrethrum. The most effective control to date for cockroaches, ants, waterbugs, flies, fleas, mosquitoes, spiders, moths, bedbugs, dog ticks and household centipedes. Non-staining. 1 pint 70ϕ ; 1 qt. \$1.20.

Cyanogas (G Fumigant)—Flake form for indoor use. Gives off a deadly gas that will penetrate and kill any insect that breathes in the storage and greenhouse. 5 lb. can \$3.75.

Cyanogas (A Dust)—The dust form for outdoor use, an efficient control for all rodents. 1 lb. can 98ϕ ; 5 lb. can \$3.75. This is safe to use and gives a quicker kill when applied with the Cyanogas Foot Pump. \$11.00 each.

DDT 50%—An instantly wettable, micro-fine, uniform powder that is made by Dow Chemical Co. Especially valuable in the control of: Coddling moth, leafhopper, leaf-roller, lygus, thrip on crops and lice, flies and mosquitoes on livestock. Ask for literature that lists many other insects that are controlled by DDT and gives full instructions for using. 1 lb. 50ϕ ; 4 lb. bag \$1.80; carton of 12/4 lb. bags \$18.24.

Dowklor—40% Chlordane wettable powder—Makes a wet spray or is a dust concentrate. Excellent control for grasshoppers, ants, crickets, alfalfa weevil, roaches, fleas, lice, flies, ticks, chiggers and a wide variety of insects attacking crops. 1 lb. 95¢; 100 lb. drum \$80.00. For general purpose use $2\frac{1}{2}$ lbs. in 100 gallons water or 2 teaspoonsful in one gallon.

Dowklor 5% Dust—A finished formulation, ready to dust. During the past two years, this material has given amazing results in the Pecos Valley, controlling such difficult pests as: grasshoppers, squash bugs, stink bugs, cucumber beetles and some aphids using 20 lbs. per acre. Its residual killing power makes it an outstanding household insecticide, exterminating all types of roaches and ants. Dowklor kills three ways: by contact, as a fumigant and as a stomach poison. 1 lb. 25¢; 25 lbs. \$4.50.

All Prices Are Subject to Change Without Notice.

Any desired dust mixture can be formulated upon short notice.

INSECTICIDES & FUNGICIDES—Continued

DN-111—Use 1¼ lbs. in 100 gallons of water for control of summer red mite on apples. May be used with DDT or Arsenate of Lead. $1\frac{1}{4}$ lb. bag 65ϕ ; carton of $24/1\frac{1}{4}$ lb. bags \$15.30.

DN-289—A new non-oil dormant spray for fruit trees that will control more insects, including scale and red mite, than any single spray material available at present. Use one quart in 100 gallons of water to control aphis, use two quarts in 100 gallons of water to control European Red Mite and some scales. 5 gallon drum \$21.70; 50 gallon drum \$193.50.

Dow Special Potato Spray—Especially designed for hardy foliage: potatoes, melons, tomatoes and cucumbers. Controls chewing insects, blight, and repels leafhoppers. Use 2 lbs. in 100 gallons of water on most vegetables. 3 lb. bag 60ϕ ; carton of 16 3 lb. bags \$8.40.

Dry Lime Sulphur—A control for fungus disease such as: Scab, mildew and rot, also, used as a stock dip. 1 lb. 35ϕ ; $12\frac{1}{2}$ lb. bag \$2.55; steel drum containing $16/12\frac{1}{2}$ lb. bags \$29.80.

Lethane B-72—Effective against aphid in the garden. Combines with DDT to make an excellent livestock spray. Kills lice, sheep ticks, the eggs of cattle lice and continues to protect against new infestations for one to three months. 1 lb. 35ϕ ; 5 lb. bag \$1.50.

Lindane 25% Wettable—Recommended to give residual fly control in dairy barns along with lice, tick and mange on cattle, also, a long list of garden insects. Ask for price.

Magnesium Arsenate—A poison used as a liquid spray or as a dust, will not injure tender foliage. Recommended to control Mexican Bean Beetle and other chewing insects. 1 lb. 35ϕ ; 2 lb. bag 60ϕ .

Nico-Fume—A tobacco powder, packed in a pressure fumigator for fumigating greenhouses. 1 lb. pressure fumigator 75ϕ ; carton of 12 \$7.95.

Parathion 15% Wettable—Effective against mites and aphids, also, very dangerous to the sprayer operator. \$1.05 per pound. Packed 24/1 lb. bags per carton.

Paris Green—A strong effective poison for chewing insects. Not recommended for use on tender foliage. 1 lb. 55ϕ ; 100 lbs. \$39.00.

Red Arrow—A non-poisonous, liquid contact killer. One to four teaspoonsful to one gallon of water depending upon the resistance of the insect. A proven product that has given satisfaction where others have failed. 1 oz. 35ϕ ; 4 oz. \$1.00; pint \$2.85; qt. \$5.50.

Rotenone 5%—7½ lbs. of this powder in 100 gallons of water is recommended for control of cattle grub, also, a good garden insecticide. Not poison to humans. Can be mixed with DDT, Lethane B-72 and others. 1 lb. 60ϕ ; 25 lbs. \$13.75.

Rotenone 1.2%—A finished formulation, ready for garden dusting. Valuable for control of Mexican Bean Beetle and many other insects including aphids. Not a poison. 1 lb. 25¢; 10 lbs. \$1.80.

Sulphur "Mike" (Wettable)—More than 95% sulphur, 15 times finer than 325 mesh. The high content and fineness make this sulphur greatly preferred, especially for the control of powdery mildew on apples. 4 lb. bags 50ϕ ; carton of 12/4 lb. bags \$5.30.

Sulphur, Perfection Dusting—A 325 mesh conditioned dusting material that contains 92% sulphur. A control for mildew and rust. Must not be used on melons, squash and cucumbers. 1 lb. 6ϕ ; 50 lb. bag \$2.30.

Toxaphene (40% Chlorinated Camphene)—A 20% material made from this concentrate is recommended for the control of all insects attacking cotton. Use 8 to 15 lbs. per acre.

All Prices Are Subject to Change Without Notice.

SEED DISINFECTANTS & LEGUME INOCULANTS

Ceresan M—Provides a control for most smuts and seed borne diseases in wheat, oats, barley, rye, sorghums and millets. Usually reduces angular leaf-spot of cotton, seed decay and seedling damping-off cotton, flax, peas and sugar beets. Mix this dust into grain at the rate of $\frac{1}{2}$ oz. per bushel, on delinted cotton seed use 2 oz. per 100 lbs. 14 oz. can \$1.00; 3 lb. can \$2.85; 40 lb. drum \$28.75. We are equipped with a Gustafson Seed Treater to apply Ceresan M to your grains at a cost of 30ϕ per hundred pounds of seed.

Arasan—Use this treatment on: corn, sorghums, peanuts, soybeans and vegetables. It usually reduces seed decay and damping-off by destroying surface seed-borne organisms and protecting against soil-borne organisms. $\frac{3}{4}$ oz. will treat one bushel of corn; 2 to 4 oz. will treat 100 lbs. vegetable seeds. Eight to twelve ounces per hundred pounds of grass or legume seeds has increased stands from 10% to 89%. Ask for detailed information. $\frac{3}{4}$ oz. 25ϕ ; 8 oz. 80ϕ .

Semesan—For vegetable, flower seed and bulbs. Usually preserves seeds against rotting in cold, wet soils; controls damping-off or seedling blight and certain other seed-borne diseases. Helps promote increased germination, sturdier growth, larger yields, better grade produce. $\frac{1}{2}$ to 1 oz. treats 15 lbs. vegetable seeds, 2 oz. per bushel treats: string beans, cow peas and soy beans. $\frac{1}{3}$ oz. 20ϕ ; 2 oz. 60ϕ ; 12 oz. \$2.40.

Semesan Jr.—For seed corn. Generally helps protect seed against rotting in the soil and checks forms of seedling blight and root-rot caused by certain fungi (molds) on field, pop or sweet corn. Often improves germination, stands and yields. $1\frac{1}{2}$ oz. 17c will treat one bushel of seed. 12 oz. can 62c.

Nitragin—The original legume inoculator. Apply this bacteria to seeds of legumes to restore and maintain soil fertility.

Nitragin-A—For alfalfa, all sweet clovers and bur clovers.

Nitragin-B—For all other Clovers except Lespedeza. 1 bushel size 50ϕ . $2\frac{1}{2}$ bushel size \$1.00.

Garden Nitragin. For garden peas, garden beans and sweet peas. Each 10¢ package will inoculate up to 6 lbs. of seed.

The inoculations for other legumes will be supplied upon order.

CHEMICALS (Horticultural)

Vitamin B-1 Pellets—Reinvigorate the scrawny plants with this vitamin B-1 plus four additional vital B-complex factors. 20 tablets 25ϕ ; 200 tablets \$1.00.

Fruit Fix—The multi-hormone that treats for premature fruit and flower drop. It will hold the fruit on the trees and allow it to develop the maximum color, weight and flavor. Saves high-cost labor by eliminating spot picking. Insures against heavy losses during those unexpected hot or dry windy days. 25¢ package will make 7½ gals. spray solution.

Fruit Fix Super Concentrate 800—The same as the above, in a more economical form for large users. 8 oz. bottle \$4.00 will treat one acre.

Tomato Fix Tablets—This hormone, when sprayed upon the blossom, will give earlier maturity and better pollenization. Tests show 20 to 30% increase in some crops and tomatoes will be almost seedless. One tablet makes one quart of spray. 20 tablets 25ϕ ; 100 tablets \$1.00.

Ree-Root No. 1 & No. 2—These are Multi-Hormone Vitamin treatment for rapid rooting of cuttings. No. 1 is for sensitive cuttings, No. 2 is for hardy woody plants. A 25ϕ packet will treat hundreds of cuttings.

Transplant Tablets—A combination of hormones and B-complex vitamins which stimulate prompt repair of damaged roots whereby the shock of transplanting is reduced. Use two tablets to each gallon of water. 30 tablets 25ϕ ; 80 tablets 50ϕ .

Pree-Plant Powder—This hormone is used on the seed to induce quicker germination and rapid root growth. One pound treats 150 lbs. small seed. 2 oz. 75¢; ¾ oz. 25¢.

WEED KILLERS

Atlacide—One pound of this powder in one gallon of water, applied properly as a spray and at the correct time, will kill grasses and weeds. 100 lbs. \$16.50.

2-4 Dow Weed Killer, Powder—Contains 80% Sodium Salt. Eradicates most weeds without harming ordinary grasses and grains. ½ lb. will treat one acre of corn. ¾ lb. will treat one acre of small grain or grass crop. 1½ to 2 lbs. per acre is the usual recommendation for large scale weed control. Not recommended when 10 gallons per acre or less is used. 10 lb. drum \$9.80; 50 lb. drum \$40.50.

2-4 Dow Weed Killer, Formula 40—Ideal for low volume spray, works in hard or soft water and does not clog nozzles. Contains approximately 65% alkanolamine salt of 2-4-D acid. % pint will control broad leaf weeds in one acre of corn or sorghums, 2 to 3 pints will treat an acre of mowed turf. One gallon can \$5.40; 50 gallon drum \$239.00.

Esteron 44—Contains 44% isopropyl ester of 2-4-D acid. Use this formulation to kill tough woody plants such as poison ivy, willows and mesquite, also, hard-to-kill weeds such as thistle, burdock and bindweed. % pint per acre controls weeds in corn and sorghums, use ½ to 1 pint per acre of small grain, 3 qts. per 100 gallons usually controls most woody vegetation. Pint can \$2.10; one gallon can \$5.70; 50 gallon drum \$255.00.

Dow Contact Weed Killer—Contains dinitro ortho secondary butyl phenol dissolved in oil. Used as a spray to kill top growth of weeds and grasses, but does not kill roots of perennials. Use three gallons in 100 gallons of water. 50 gallon drum \$120.00.

TCA (Sodium Trichloroacetate 90%)—The new killer of Johnson, bermuda and quack grass which has proven effective during the past season. 10 lb. drum \$5.40; 50 lb. drum \$23.50; 100 lbs. \$46.00.

2-4 Dow Weed Killer 14%—Contains approximately 23.4% alkanolamine salt of 2-4-D acid to kill weeds in lawns. ½ pint \$1.00 will treat 2000 sq. ft.; pint \$1.50; quart \$3.00.

SOIL FUMIGANTS

Dowfume W-40—A liquid soil fumigant containing Ethylene Dibromide for application without dilution to infested soil for control of wireworms, nematodes and other soil-borne insects. Principally used in large scale soil treatments. 50 gallon drum \$124.80.

Garden Dowfume—A soil fumigant containing Ethylene Dibromide. Very effective in controlling nematodes, wireworms, and other soil insects in home gardens. One gallon treats 400 sq. ft. Can be applied without special equipment. 1 gal. can \$1.50; 10 gal. drum \$11.00.

GARDEN TOOLS

Planet Jr. No. 300 Seeder—This drill seeder plants evenly and accurately and covers all of the seed uniformly so that a perfect stand is obtained. The seeds are planted through holes in a plate. There are three, quickly interchangeable plates with a total of 39 holes to give ample adjustment for any variety of seed. This seeder has been the choice of the market gardners in the Pecos Valley for many years. The single unit is an easily operated hand tool. They are often drawn by a tractor in multiples of two or three. The 300—A is identical in operation and construction except the rear wheel is concaved. Either seeder is offered at \$33.25.

Planet Jr. No. 4 Seeder and Cultivator—The choice of the home gardener since it will drill or plant in hills, then convert into a wheel hoe or cultivator. This saves time, it saves money and it saves seed. It will enable you to produce more on the same ground and vastly reduce the effort. Complete with all attachments \$29.45. Without cultivating equipment, the seeder only is offered as Planet Jr. No. 4—D at \$23.45.

Planet Jr. No. 16 Single Wheel Hoe—The most popular garden cultivator which meets the requirements of the double rowed irrigated garden. The frame is of steel and practically indestructible yet light in weight. Equipment includes: one pair of 6 inch hoes, three cultivator teeth, one plow, a 4-inch and a 7-inch rake. \$14.35 complete.

Planet Jr. No. 18 Single Wheel Hoe—The same tool as the above, except the equipment consists only of one pair of 6 inch hoes. \$9.80.

HOTKAPS

These patented plant covers are wax paper cones which form miniature hot houses over each plant. They protect from frosts, storms and insects; allowing crops to mature two to three weeks earlier, also larger fruits and vegetables will be produced.

University tests prove HOTKAPS increase total yields 18% to 51%. One hundred \$2.55; One thousand \$14.65; Five thousand \$72.50; Steel Setter \$1.95; Fibreboard Setter 20¢.

FLOWER SEED IN BULK

Castor Beans, mixed.
oz. 20ϕ ; 4 oz. 60ϕ ; 1 lb. \$1.80.

Four O'Clock, tall, all colors mixed. ½ oz. 20ϕ ; oz. 35ϕ ; 4 oz. \$1.10; lb. \$3.30.

Larkspur, Giant Imperial mixed. Double. ½ oz. 70ϕ ; oz. \$1.05; 4 oz. \$3.15.

Morning Glory, Crimson Rambler. ½ oz. 15ϕ ; oz. 25ϕ ; 4 oz. 75ϕ ; lb. \$2.25.

Morning Glory, Heavenly Blue. ½ oz. 45ϕ ; oz. 80ϕ 4 oz. \$2.50; lb. \$7.50.

Morning Glory, Major Finest Mixed. ½ oz. 15ϕ ; oz. 25ϕ ; 4 oz. 65ϕ ; lb. \$1.85.

Nasturtium, Golden Gleam Semi-Double Hybrid. ½ oz. 20ϕ ; oz. 35ϕ ; 4 oz. \$1.00; lb. \$3.00.

Nasturtium, Glorious Gleam Semi-Double Hybrid. Mixed colors. oz. 35¢; lb. \$3.00. Nasturtium, Scarlet Gleam Semi-Double. Extra large blooms. oz. 35¢; lb. \$3.00. Nasturtium, Tall mixed. The Climber. $\frac{1}{2}$ oz. 15ϕ ; oz. 25ϕ ; 4 oz. 80ϕ ; lb. \$2.40. Nasturtium, Dwarf Gem. Good border plant. oz. 35ϕ ; 4 oz. \$1.00; lb. \$3.00.

Poppy, Large Pink Shaggy (annual.) $\frac{1}{2}$ oz. 40ϕ ; oz. 70ϕ ; 4 oz. \$2.00; lb. \$6.00. Snapdragon, Mixed. $\frac{1}{4}$ oz. 50ϕ ; oz. \$1.60. Sweet Peas, Spencer Mixed. Early Flowering. oz. 35ϕ ; 4 oz. \$1.00; lb. \$3.00.

Sweet Peas, Cuthbertson Mixed. The new variety that stands more warm weather. oz. 30ϕ ; 4 oz. 90ϕ ; lb. \$2.70.

Zinnia, Gold Medal Dahlia Flowered Finest mixed. Colors are grown separate. Especially adapted to the Southwest. oz. \$1.00; 4 oz. \$3.40; lb. \$10.50.

Zinna, California Giant. Mixed colors. Old fashioned flat bloom. oz. \$1.00.

Zinnia, Lilliput, Mixed colors. Very double. 18 inchs high. oz. \$1.00.

FLOWER SEEDS IN PACKETS

Ageratum
Alyssum
Aster
Bachelor's Button
Balsam
Calendula
California Poppy
Calliopsis
Candytuft
Canterbury Bells
Castor Beans

Gypsophilia
Hollyhock
Larkspur
Marigold
Morning Glory
Moon Flower
Nasturtium
Pansy
Petunia
Pinks
Gaillardia

Cardinal Climber Celosia Columbine Cosmos, Mixed Cypress Vine Delphinium Everlastings Forget-Me-Not Foxglove Gourds, Mixed Portulaca Poppy
Salvia
Shasta Daisy
Snapdragon
Sweet William
Scabiosa
Stocks
Verbena
Vincia
Wall Flower
Zinna, St. Colors

PEAT MOSS

Premier Peat Moss, natural humus, is 97% organic vegetable matter. It opens up the soil, admitting vital air and moisture, and acts as a reservoir for plant food, releasing it to the roots as they need it. This soil conditioner is especially valuable when used in the stiff soils of the Southwest. It absorbs as much as 20 times its weight in moisture and prevents crusting of the soil. Unexcelled for mulching and transplanting. Premier Peat Moss is free of weed seeds, it is sun-dried and air-cured to preserve tiny cell structure and amazing sponginess. The usual application of one inch worked throughly in with the top 3 to 4 inches will lighten the heaviest soils. This same application will bind sandy soils and increase their water-holding capacity. Packed in bales of four convenient sizes. Ask for our prices which will reflect the benefit of carload shipments.

COMMERCIAL FERTILIZERS

45% Superphospate, Sulphate of Ammonia, Ammonium Nitrate, Iron Sulphate, Aluminum Sulphate, Soil Sulphur, 16-20-0 and other fertilizers will be offered. Ask for our prices.

VIGORO

In this complete plant food, we will offer a new formula this season. Especially prepared to supply the vegetables, trees, grass, shrubs and flowers with the necessary elements for growth and production. It is free flowing, easy to apply and has no unpleasant odor. 1 lb. bag 15ϕ ; 5 lb. bag 50ϕ ; 10 lb. bag 90ϕ ; 25 lb. bag \$1.75; 100 lb. bag \$5.00.

PLANTABBS (Fulton's)

Plant food in tablet form, containing: 11% nitrogen, 15% phosphate, 20% potash plus vitamin B-1. Press the tablets into the soil or dissolve them in water for application to the plant. 30 tablets 25ϕ ; 75 tablets 50ϕ ; 200 tablets \$1.00; 1000 tablets \$3.50

FEED

The feed that is made by the J. P. White Company Feed Mill Department is offered from stock. This line includes: Laying, Starter, Grower and Fattener Mash, Lay Pellets, Scratch Grain, Rabbit Pellets and Range Pellets. Please ask for prices.

POULTRY & LIVESTOCK REMEDIES

The complete lines of following Companies are in stock:

THE GEO. H. LEE CO.
Ask for the latest copy of the "Lee Way Poultry Book"

DR. L. D. LeGEAR MEDICINE CO.

Ask for "Dr. LeGear's Poultry Guide" and "Dr. LeGear's Livestock Manual"

DR. SALSBURY'S LABORATORIES

Ask for "Dr. Salsbury's Poultry Health Messenger."

DR. LeGEARS DOG PRESCRIPTIONS
Contain the most effective ingredients known to Modern Veterinary Science. Ask for Dr. LeGears Dog Book

The above mentioned literature carries valuable information for anyone who is interested in: Livestock, Poultry or Dogs. These will be sent to you without charge or obligation.

POULTRY FEEDERS & FOUNTAINS

The HUDSON Equipment, for almost half a century, has been gaining a reputation for dependability; developed through using the best materials and workmanship plus correct designing to assure best results from the product. We offer the complete line which includes all sizes and types of metal feeders and fountains. Items in connection include: leg bands, toe punches and glass substitutes for enclosing the poultry house. Please ask for description and prices.

DAIRY SUPPLIES

From stock, we offer: plain milk bottles, stock print bottle caps, filter discs, bottle brushes, washing powders and disinfectants. On special order, we offer: Lustro Color or blown lettered bottles, special print

bottle caps and other dairy equipment.

We specialize in rapid delivery on (Liberty) Lustro Color Milk Bottles, direct from the Factory by our own truck.

BEEKEEPER'S SUPPLIES

In this line, we maintain our policy and offer: the highest in quality at competitive prices. Our wooden-ware is manufactured by G. B. Lewis Co., our foundation is supplied by Dadant & Sons, smokers, veils, extractors, tools and accessories are from A. G. Woodman Company. There will be a new frame and foundation this season. Ask for descriptive price list. In connection, we offer honey containers both tin and glass in any quantity. Also, we are always cash buyers for your beeswax.

What to Plant and When to Plant It

APPLIED TO THE PECOS VALLEY OF NEW MEXICO)

JANUARY—A good time to plan the planting and to place a seed order. Prepare plant beds for early cauliflower, cabbage, egg plant, lettuce, onions, peppers and tomatoes.

FEBRUARY—Early this month plant onion seed and sets, carrots, early peas, rhubarb, asparagus, parsnips and horse radish. Late this month begin planting oats and barley.

MARCH—Plant peas, onions, lettuce, radishes, mustard, leek, parsley, spinach, parsnips, salsify, stock beets, corn, oats and barley. Bed out sweet potato seed in hot beds. Early tomatoes, pepper and egg plant may be sown in hot beds.

APRIL—Plant celery, turnips and okra. To have a succession, plant more peas, corn, lettuce, radishes, beets and carrots. Begin planting cotton April 10th. This is the best month to make the spring planting of alfalfa. Late in this month tomatoes may be planted in the open. At this time some will risk a planting of: melons, squash, cucumbers, pumpkins, beans, and the setting of: tomato, pepper and sweet potato plants.

MAY—It is now safe to plant the main crop of: melons, squash, cucumbers, beans, pumpkins, and set out: tomato, pepper and sweet potato plants. Plant blackeyed peas, cow peas, peanuts, leaf lettuce, more radishes, mustard and corn. Sow seed for late cabbage in beds. In the field plant: milo, corn, atlas sorgo and kaffir. Acala cotton should not be planted later than the last of the month.

JUNE—Make the last planting of cantaloupes, watermelons, winter squash and pumpkins. Plant late cabbage in hills in the field. Roasting ears, bush beans, blackeyed peas, cucumbers, summer squash all do well when planted now. Late this month, in the field, plant Mexican June Corn, Mexican pinto beans, hegari and milo.

JULY—Plan the fall garden which often returns more than earlier plantings. Set out celery and cabbage plants. Plant pole and corn field beans, cucumbers for pickling. Sow turnips and rutabagas for fall and winter use. The last planting of corn, cane, hegari, kaffir and mile should be made early this month. Millet can mature when planted late this month.

AUGUST—Early this month, finish setting celery plants, sow more turnips, beans, and pickling cucumbers. Plant early cabbage for fall and winter use. The last planting of carrots, for fall use, should be made about the middle of this month. At this same time, begin planting; rye, wheat, oats, winter barley and pasture grasses.

SEPTEMBER—Plant: beets, kale, lettuce, mustard, spinach, Chinese cabbage and bunching onions. Sow onion seed about the 25th for spring transplanting. This is the best month to plant: alfalfa, rye grasses, crested wheat grass, Kentucky blue grass lawns and pasture grass mixtures.

OCTOBER—Plant mustard, lettuce and spinach for early spring, also, winter radishes and onion sets. Winter barley, rye and wheat may be planted for spring pasture and grain crops.

NOVEMBER—Complete the harvest and prepare for winter.

DECEMBER—Foot up the profits and send to us for next season's catalog.

ROSWELL SEED COMPANY

PHONE 92

115-117 SOUTH MAIN ST.

P. O. BOX 725

ROSWELL, N. M.

SINCE 1900

SUPPLYING SEEDS ADAPTED TO THE SOUTHWEST

OWNED AND OPERATED BY

VERDI GILL

IVAN GILL

W. L. GILL

Table of Valuable Information

Vegetable	Amount requ per 100 feet		Inches apart in the row	Inches between the rows	Depth to plant (inches)	Average germination 1 year old seed—%
Asparagus	1 oz.	5 lbs.	3	18-24	1	90
Beans, Dwarf	1 lb.	60 lbs.	2	18-24	1 1	90
Beans, Pole	½ lb.	30 lbs.	12-15	36	i i	90
Beets, Garden	1 oz.	6 lbs.	2	12-18	î	80
Beets, Mangel	1 oz.	5 lbs.	$\overline{4}$	20-36	ī	80
Brussels Sprouts	1/4 oz.	8 oz.	12-16	24-30	1%	85
Cabbage	1/4 oz.	8 oz.	12-18	24-30	1/6	85
Cantaloupe	½ oz.	1 lb.	48	72	1	85
Carrot	½ oz.	2 lbs.	2	12-18	1/2	75
Cauliflower	1/4 oz.	8 oz.	14-18	24-30	1/2	75
Celery	1/4 oz.	4 oz.	2	18-36	1/6	80
Collards	1/4 oz.	8 oz.	12-18	24-30	1/2	88
Corn, Sweet	1/4 lb.	5 lbs.	24	36	1	85
Cucumbers	½ oz.	2 lbs.	36	72	i	85
Egg Plant	1/8 oz.	8 oz.	18	24-30	1/2	75
Endive	1 oz.	4 lbs.	12	18	1/2	80
Kale	1/4 oz.	2 lbs.	18	18-24	1/2	85
Kohlrabi	1/4 oz.	3 lbs.	6	18-24	1/6	85
Leek	½ oz.	3 lbs.	4	14-20	1/2	80
Lettuce	½ oz.	2 lbs.	$\bar{6}$	12-18	1/6	90
Melon, Musk	½ oz.	1 lb.	48	72	1	85
Melon, Water	1 oz.	2 lbs.	72	$9\overline{6}$	ī	85
Mustard	1/4 oz.	2 lbs.	2-3	12-18	1/4	85
Okra	2 oz.	8 lbs.	15	36	1	85
Onions	1 oz.	3 lbs.	1-2	12-18	1/6	85
Parsley	1/4 oz.	2 lbs.		18	1/2	70
Parsnips	½ oz.	3 lbs.	3	18	1/6	75
Peas	1 lb.	60 lbs.	2	24	í	90
Pepper	1/8 oz.	8 oz.	24	36	1/6	75
Pumpkin	1 oz.	3 lbs.	60	96	í	90
Radish	1 oz.	10 lbs.	1	12-18	1/2	90
Salsify	1 oz.	5 lbs.	2	18-24	1/2	75
Spinach	1 oz.	8 lbs.	$\overline{2}$	12-18	111122122221112222222211122222222222222	80
Squash, Summer	1 oz.	2 lbs.	48	36	ī	90
Squash, Winter	½ oz.	1 lb.	60	72	i	90
Tomato	½ oz.	8 oz.	48	48	1/6	85
Turnip	½ oz.	1 lb.	2	18-24	1/4	90

Field Seeds

in the second	bs. per acre		lbs. per acre
Alfalfa	20	Hegari	8
Barley, winter	70	Maize	
Barley, spring		Millet, drilled	20-25
Beans, Pinto		Oats	100
Clover, Sweet	15	Peas	30-60
Corn	5-8	Rye	60
Corn, Pop	8	Ryegrass	20
Cotton, delinted	12	Sudan Grass, drilled	4-20
Cotton, lint	32	Sudan Grass, broadcast _	35
Johnson Grass	20	Wheat	60-90

This information has been compiled from 50 years of experience in handling seeds, it will not apply in all cases due to variation in location and condition. However, we believe our figures are a fair average.

AFTER FIVE DAYS
RETURN TO

Sec. 34.66 P. L. & R.

U. S. POSTAGE

PAID Roswell, N. M. Permit No. 1

115-117 South Main Street Roswell, New Mexico

RETURN POSTAGE GUARANTEED

U. S. DEPARTMENT OF AGRICULTURE

WASHINGTON 25, D. C.

OFFICIAL BUSINESS
PRINTED MATTER

PENALTY FOR PRIVATE USE TO AVOID PAYMENT OF POSTAGE, \$300

GPO

Library, U. S. Dept. of Agriculture,